



Potassium Silicate

A liquid source of potassium and silica.


Silica is often a forgotten element and has many benefits in the plant, including strengthening cell walls.

BENEFITS

- Improves photosynthesis and raises brix in all plants.
- Reduces the negative effects of excess aluminium, sodium and manganese.
- Improves plant growth, lifting yield and quality.
- Enhances reproduction by improving pollination and increasing pollen fertility.
- Produces an armour-like layer in the outer cell wall resulting in stronger, more resilient plants.

PACKAGING:

1 L, 4 L, 10 L,
100 L, 1000 L



PREMIUM LIQUIDS

Potassium Silicate

APPLICATION RATES

Foliar Spray:

Vegetables

0.3 L per 100 L water up to 2 L/ha equivalent
Apply every 2 weeks or as required

Orchards & Vineyards

0.3 L per 100 L water up to 3 L/ha equivalent
Apply every 4 weeks or as required

Ornamentals & Turf

0.3 L per 100 L water up to 2 L/ha equivalent
Apply every 4 weeks or as required

Spot-Spraying

25 mL per 10 L water
Apply as required

TYPICAL ANALYSIS W/W

Total Potassium (K) (as silicate).....	15.3%
Silicon (Si).....	17.3%
SG.....	1.4
pH.....	11.3 – 12.3
Conductivity.....	70 – 90 mS/cm
Appearance.....	Clear liquid

INSTRUCTIONS

Shake or stir well before use. Where higher water rates are required for good foliar coverage, do not exceed maximum product rate per hectare. Sensitive foliage or plants should be test sprayed prior to full scale application. Frequencies are a guideline only and can be adjusted according to farm practices and/or in conjunction with crop monitoring. Ensure suitable spray conditions (e.g. temperature, humidity, wind-speed), prior to foliar application. Compatibility and/or performance cannot be guaranteed when combined with other products. Jar test for compatibility and spray test on small area before wide-spread use.

IMPORTANT

- Do not spray during flowering.
- Not compatible with acidic inputs. Potassium Silicate is very alkaline and recommended rates should never be exceeded to avoid possible plant damage.
- As silicon is not readily transported within the plant more than one application will be required per season to ensure the full benefits.
- **Note:** Product in 1000 L tanks may weigh over 1 tonne. Forklift with 2 tonne lifting capacity is recommended.

STORAGE & HANDLING

- Read safety directions before use.
- Store in a cool dry area out of direct sunlight. This product has been tested to store safely down to 5°C. Crystallisation or sedimentation may occur below 5°C. Do not pre-mix or store in diluted form. Seal lid/cap immediately after use.

Disclaimer: Any recommendations provided by Nutri-Tech Solutions Pty Ltd (NTS) or its Distributors are advice only. As no control can be exercised over storage, handling, mixing, application or use, or weather, plant or soil conditions before, during or after application (all of which may affect the performance of our program), no responsibility for, or liability for any failure in performance, losses, damages, or injuries (consequential or otherwise), arising from such storage, mixing, application, or use will be accepted under any circumstances whatsoever. NTS recommend you contact an Agronomist prior to product application. The Buyer assumes all responsibility for the use of any NTS products.

Nutri-Tech Solutions P/L (NTS)

7 Harvest Road, Yandina, Queensland 4561, Australia
Phone +61. 7. 5472 9900 Fax +61. 7. 5472 9999
info@nutri-tech.com.au www.nutri-tech.com.au

YOUR LOCAL NTS DISTRIBUTOR:

Agriculture Solutions, Inc.

4603 Perth Road 135
Sebringville, ON NOK 1X0

E: info@agricultureolutions.ca

T: 855 247 6548

www.agriculturesolutions.ca

